Packaging Onboarding Overview



- Packaging Resource Guide
- Packaging Objective
- Packaging Requirements and Expectations
- Packaging Specification Requests
- Packaging Testing
- Packaging Labeling Requirements
- Supplier Chargebacks

Packaging Resource Guide

- Colony BRANDS, THE
- Supplier Manual Webpage <u>Ctrl + Click Here</u>
- Supplier Manual PDF Link <u>Ctrl + Click Here</u>
- Packaging Testing
 - Package Test Procedures <u>Ctrl + Click Here</u>
 - Packaging Test Cover Sheet <u>Ctrl + Click Here</u>
 - In-House Package Test Report Template (recommended) <u>Ctrl + Click Here</u>
- Packaging Labeling
 - Package Label Specifications <u>Ctrl + Click Here</u>
 - Package Label Review Request Form <u>Ctrl + Click Here</u>

Additional resources available on the supplier manual webpage

Packaging Contacts



- Hardgoods Division / Apparel Max Skradski Max.Skradski@colonybrands.com
- Home Division Matthew Budreau
 <u>Matthew.Budreau@colonybrands.com</u>
- Package Labeling Becky Buri Becky.Buri@colonybrands.com

Packaging Objective

- Advance global supply chain efficiencies through providing "distribution ready" packaging
- Right size packaging to provide the most cost-effective packaging solutions
- Ensure safe transit from manufacture to distribution centers
- Move product through distribution centers with minimal resistance
- Ensure safe transit through small parcels distribution
- Provide customer satisfaction by delivering undamaged, on time product to customers



Photo Credit: cpoinnovation.com

Packaging Requirements and Expectations



- Distribution Ready Packaging
- Right Size Packaging
- Material Requirements
- Ship Alone Requirements
- Master Carton Requirements
- Accessorial Charges

Distribution Ready Packaging

- Packaging that minimizes resistance through our distribution centers
 - Accuracy of
 - pack lists
 - master carton labeling
 - unit carton labeling
 - packaging specification
 - Remailer packaging
- Packaging which can withstand the small parcels distribution environment
 - Passing packaging test reports
 - Passing inbound packaging testing
 - Adequate internal packaging components



Photo Credit: postandparcel.info

Right Size Packaging

- Finding the optimal balance between overpackaging and underpackaging
 - Maximizes cube efficiency
 - Too little cube may result in product ship damage
 - Too much cube results in added transportation and storage costs.
 - Provide adequate internal packaging
 - Underpackaged product will incur damage which may result in expensive chargebacks
 - Overpackaged results in wasted cube and added material costs



Material Requirements


- Lightweight items 60 pounds and under it is best to use individual shipping cartons with a minimum 200 pounds per square inch corrugate burst strength
- Heavyweight items over 60 pounds It is best to use individual shipping cartons with a minimum 275 pounds per square inch corrugate burst strength.
- A single unit carton with Outer AND Inner protective packaging able to withstand the distribution, storage, handling, and shipment through the small parcel distribution environment (FedEx, UPS, USPS, etc.) without any additional packaging or preparation supplied by Colony Brands to ship to Retailer's customer.



Photo Credit: uline.com

Ship Alone Size Requirements

- Packaged items greater than 26" in length, OR 15" in width, OR greater than 1.50 cubic feet must be sent to the warehouse in single unit Remailers.
 - These items will be sent directly to the Retailer's customer. Colony Brands will provide no additional packaging.



OR 15" x 26" x 7" = <u>2730</u> = 1.58 > 1.50 1728



The above are examples that meet Ship Alone criteria and must be sent in a Remailer

Master Carton Requirements



- All packaged items that are less than Ship Alone size should be shipped to the distribution centers in master cartons (cartons containing two or more single selling units)
- May be marked using recognizable international symbols that pertain to the item such as Fragile, Glass, This Side Up, Etc.



When packing into a master carton, you must follow these steps:

Each Master Carton must:

- Contain only one purchase order and shipping destination.
- Contain only one Package Label Number (PLN).
- Contain only one Color or Pattern or Size.
 - Limit mixed multiple colors, patterns or sizes in a master carton to 1 (one) carton per shipment.
 - Label this master carton with "MIXED MASTER".
- All master cartons for the same PLN in the same shipment need to have a constant piece count per carton.
 - Limit short quantity master cartons to 1 (one) carton per shipment.
 - Label this master carton with "SHORT QUANTITY".

Master Cartons should meet minimum and maximum requirements, as shown below.

	Longest	Middle	Smallest	Weight
Minimum	9"	9"	4"	5 lbs.
Maximum	36"	30"	26"	50 lbs.

Accessorial Charges

To minimize postage impacts and accessorial charges by our carriers, we ask that you:

• Work to develop packaging that best fits the size of the item, minimizes dead space, and over packaging without ruining the integrity of the package to provide protection against damage in a small parcel shipping environment.

- Heavyweight Charge Any package over 70 pounds (\$8 per unit)
- Large Package Charge Any package with a girth (length + 2W + 2H) greater than 130 inches (\$45 per unit)
- Additional Handling Charge Any package with longest side exceeding 48 inches or its second-longest side exceeding 30 inches (\$8 per unit)

• All shipping cartons must be sealed to prevent tampering or loss of product.



Photo Credit: skyferlogistic.com

Labeling Requirements

Colony BRANDS, INC.

- Master Carton Labeling
- Unit Carton Labeling
- Label Approvals
- Pack Slip Requirements
- Packaging Labeling Resources
 - Package Label Specifications <u>Ctrl + Click Here</u>
 - Package Label Review Request Form <u>Ctrl + Click</u> <u>Here</u>

Unit Labeling

- Barcode specifications
 - Format Code 128 (subset A, B, or C)
 - Minimum size 1.5 Wide" x 1" High
 - Whitespace 1/8" on right and left sides
- Label Specifications
 - Font and Size 12-point Arial Black
 - Min size 2" x 2"
 - Max Size 3" x 3"
 - Human Readable text of PLN
- Placement
 - Largest Flat Surface



Packaging List Requirements

- Supplier name/address
- Colony Brands purchase order number
- Colony Brands package label number (PLN)
 - If multiple PLN's separate each by line item and include quantity units and quantity of cases
 - Each line must include the Colony Brands item description including style, color, and size information (this information may be abbreviated).
- Date shipped
- Total quantity of units
- Total number of cartons for purchase order
- Insert packing lists into a removable pouch and securely attach it to one carton of each purchase order. Indicate "PACKING LIST ATTACHED" on two adjacent sides of the carton. For trailer load shipments, the pouch must be attached to the last carton loaded on the trailer.
- When shipping a small quantity cartons via UPS or FedEx, a copy of the packing slip must be attached to each carton

Sellin Compar City, St Phone N	ny Address ate ZIP Coo Number Fax	pany Inc.			Custo	omer No. mer P.O. Ship Date ncel Date	7CL003 11/01/20	934 004
Sold To Colony Receiv 3650 M	ing List Brands, li ing Depart lilwaukee on, WI 537	tment Street		Ship To: Colony Bran Receiving De 3650 Milwau Madison, WI	epartment kee Street			
E	SCB-845		Fr	eight Terms Collect	Wa	Freight Ca tkins Motor		s
Line #	PLN #	Lot Number	De	escription	Ordered	Quantity Shipped	B/O	Number of Cartons
1	676626	123XYZ	Toaster Deluxe PLN # 676626 Seventh Avenue		100	100	0	50
		ssage / Terms		No Packages	Commodity	Description	Weig	
a packing	er requests th g list envelop	at packing list be be and attached to licate copy to be	o the last box	50	Toas Total A	sters	75	6
				Original	i otal A	mounts	15	<u> </u>

Master Carton Labeling

Label must include the following:

- Purchase Order Number
- Package Label Number
- Item Description
- Case Quantity
- Master Carton Sequence
- Barcode specifications
 - Format Code 128 (subset A, B, or C)
 - Size Minimum 2.5" x 2"
- Label Specifications
 - Size Minimum 3" x 4"
 - Labels may be larger, above is recommended
- Placement
 - Upper right corner of the carton
 - May be printed directly on the Master Carton, if so, can be printed anywhere on the carton (only one side required)
 - Must add white barcode meeting the minimum size requirements of 2.5" x 2"






Label Approvals

- Each supplier/factory must submit unit carton package labels for approval at least 10 days prior to shipment of your first order or use our designated preferred label provider, StreamLine Labels (Asia & USA).
- Labels must be submitted to the labeling department by email to <u>NonFoodPkgLabels@ColonyBrands.com</u>
 - 1 printed master carton sample required
 - 1 printed unit label sample required
- Once reviewed, approvals or corrections will be provided via email.

Package Label Review Request Form <u>Ctrl + Click Here</u>

Colony Brands Non-Food Label Review Request Form:

Company Name:		
Factory Name and Address: (include street, state, province, sub- province, post code)		
Vendor ID:		
Contact Name:		
Contact Email:		
Contact Phone Number:		
What is your expected FIRST ship date of product to our wareh	iouse?	
Is this a re-submission of your labels from a previous rejection	YES N	0
Supplier Notes:		



For Office Use Only:

Received Date	

Approved Date	
Initials	
Reject Date	
Initials	


*** Apply printed samples of your single unit and master carton labels on page 9 of Package Label Specification Document. Send to <u>NonFoodPkgLabels@ColonyBrands.com</u> for review ***

Approval of your package barcode labeling is not a blanket approval for all product labeling requirements



Packaging Specification Requests on Setup Form

- All dimensions and weights are to be filled using the Imperial System (Inches/Pounds)
- Once you have received a Setup Form from sourcing, the PKG tab of the Excel document must be completed.
- Fields to complete are:
 - Single selling unit packaging
 - Dims and weight
 - Remailer included
 - If available, what is added cost?
 - Inner packaging protection







Manual Packaging Specification Requests

Used when packaging is not supplied on setup form

- All dimensions and weights are to be filled using the Imperial System (Inches/Pounds)
- Once you have received a packaging specification form, please complete within five business days and return to <u>NonFoodPkgSpecs@ColonyBrands.com</u>
- If we have not received the completed specification in this allotted time, you will receive a weekly email reminder until it is returned that looks like the following



If testing is required for the item requested, fill out the corresponding box depending on the size of the item



Verify that the item number matches the description as well as our PLN number

> Single Selling Unit is referring to the outermost dimensions of the carton/package provided to the end user.

If this item is packaged in more than one carton, please fill out accordingly

State whether the item is in retail packaging or if the item may be used as a remailer. This field may also be both or neither depending on the item

Master Carton Dimensions are needed as well as the quantity of single selling units inside



Packaging Testing Overview



- Items requiring testing
- Small vs Large packages
- Packaging test report template (recommended)
- Resources
 - Package Test Procedures <u>Ctrl + Click Here</u>
 - Packaging Test Cover Sheet <u>Ctrl + Click Here</u>
 - In-House Package Test Report Template (recommended) <u>Ctrl + Click Here</u>



Products Requiring Packaging Testing by Product Type

PACKAGE TEST REQUIRED

Basket and Bath Sets in remailers 🚽————
Collectibles and Figurines
Cookware in remailer
Fitness Equipment
Furniture, Indoor 🚽
Furniture, Outdoor 🗲
Garlands and Wreaths with Glass
Home Accessories and Home Décor 🛻 🚃
Household and Kitchen applicances 🛻 🚃
Kitchen Housewares
Serving Accessories

 Colony Brands Packaging department may request testing on products outside the listed product category



Large vs Small Packages

Large Packages

• Criteria

- greater than 45 lbs.
 - Or
- Have longest dimension greater than 45"
 - Or
- Have cube greater than 4.5 cubic foot
- Package test reports must be submitted prior to <u>shipment</u> of inventory.

Small Packages

- Criteria
 - less than 45 lbs.
 - Or
 - Have longest dimension less than 45"
 - Or
 - Have cube less than 4.5 cubic foot
- Package test reports must be submitted prior to <u>receipt</u> of inventory.

Test reports must be emailed to NonFoodPkgTestReports@ColonyBrands.com

Packaging Test Reports: Criteria Fields (Page 1)

Colony Brands Non-Food Package Test Report

Rej Supplier Item Desc Colony Br Supplier I	Required test sequence fields are dependent on inputs from "Single unit Packaging Dimension" fields
Single Un	Highlighted fields determine if remailer is required as well as required test sequences to be
	performed.

All fields shaded in grey

must be completed

Drop Height (Inches)	Weight (lbs)
30	0 - 20
24	21 - 40
18	41 - 60
12	61 - 99
8	100 - 150

		Versie	on 1.4, 02/2019		
Package Test Summary /Cover	<u>Sheet</u>	Date	3/30/2020	Performe GSO Verifie	ed By: Max Skradski ed By:
Refer the Colony Bran			e and review the www.ColonyBr	-	dures" and Supplier
Supplier	WEC Curio Crafts				
Item Description	BLUE MOSAIC WALL	MIRROR			
Colony Brands Pack Label Nur	6783457				
Supplier Item Number	CCN2521				
Single Unit Package Dimension Item requires a remailer/res	ONGEST-Inch	33.50 Middle-Inches ES	5.(5 Shortest -In		-
Y Is the single unit If NO, single unit p	package able to ship ackage must be placed in ming the package ship t	n appropriately s	•		-fill (such as peanuts, paper or large
		Test Sequen	ces to be followed		
	Drop Height	30 inches	# 1 - 10		
	Flat Package	Yes	#11, #12, #13		
	Elongated Package	No	#11, #12, #13, #14		

Email completed report to NonFoodPkgTestReports@ColonyBrands.com

SMAL

Small or Large

Lg - Vibration ISTA-3A or Sm - Vibrat

		Ais	Ø
Colors	Brands Non-Food	Package T	ect Deport
•	ng Bernda Bas-land S 'ent Bennehnens' rad :	Sugglier Hose.	d information:
	2.0 - 21.0 		21.11
		eı	
11 11 11 11 11)		arne den erner parta parta, par
	Tel Inner Ing Bagti <mark>14 inner</mark> 8 i at Partage	- 18 - 18 , 813, 813	
		. 813, 813, 814	
. .			Poplal
Robert Test Rev			
	International Inspect Test I and I and Inspect Test I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I and I and I and I and I I and I and I I and I and		na la sel. Nen e su da la seu quala la seu quala la seu quala la seu da seu da seu da seu da seu da seu da seu d
Barthysen 1 March 1000000000000000000000000000000000000			
		•••	
			las įslastas tetoj. Atostas vagant t
INNE MARK IKPAL	h Insulut 11	28. 28 1	122
	1 1 j11 -1		
• Strapson from 1 former Had Have ford approved pape.	allene. Init for for polonit politication		a a paalal oo lla Canon Banala Ban-
padagang dini a padani dia padan adi anani a manani kaomini p	(C	a na pantat na the Const Name Name Name na the comparable to panta parts na name na theo dompilarito constat na tanat.
r-Spectrum			ili Aport Pros 2 al A
Ann an Antys Data yn Al	/=		
landi	[****	r	
811	Kulu lili		
	Pad	03	
	Pag		
L			Proc 3 at 8

Page 1 of 5

Packaging Test Reports: Testing Verification (Page 2)

Verification section to indicate testing has been completed for required sequences listed on Page 1

Vibration testing is only required upon written request or email.


Package Test Report					
Drop Test Sequence: Free fall drop (no force). Done 1) × Weakest corner (at seam) 2) × Edge 1 (off same corner) 3) × Edge 2 (off same corner) 4) × Edge 3 (off same corner) 5) × Side face 1 6) × Side face 2 7) × Side face 3 8) × Side face 4 9) × End face 1 10) × End face 2	Additional Hazard Tests: 'Free fall drop (no force). Done 11) Hazard Impact Test 12) Full Rotation Drop Test 13) Rotation Edge Drop Test 14) Bridge Impact Test Burst Test: (optional) 15) PS Using a 4x4 linch square cut from the production carton.	damage w	pection of the item was performed and no visual as found. or mechanical merchandise was operated after d it functions properly.		Colors Brands Hon-Food Package Test Report.
request in writing or if it has been note	d as required on your PDR. formed on lab quality vibration equipment. uration (minutes) 14,6	portation simulator (vibrati Year / Make / Model: Vumber of Im 200 / CPM 1, 30, 30 Top Load \	Goal minimum 14,200		End angle is angle in the fact with a static with a state
Authorized electronic signature.	performed at a certified lab please s				Balance instance spectra.
web page. -l understand that this test is only a repres protect the product inside and out during correct packaging when an issue with faile	entation of one single unit and does not ale	viate my company from the ners, or exclude me from c	provided on the Colony Brands Non-Food supplier e responsibility to provide quality packaging that wil hargebacks associated with rework necessary to		Page 3
Max Skradski e-Signature			3/30/2020 Date Signed	-	Page 3
■ Test & Product Images Please see Package Test Images SDP package	nsted on the supplier website www.ColonyB	irands.com	Page 2 of 5		

Package Test Procedures Ctrl + Click Here

Packaging Test Reports: Photos (Page 3)

Photos to include

- Length
- Width
- Height / Depth
- Weight
- Carton Flute
- Step by Step Packaging



olony

......

Supplier Chargebacks



- Packaging Slip Violations
- Packaging Label Violations
- Packaging Test / Damage Violations

Packaging Slip Violations

Compa City, St Phone 1	ny Address tate ZIP Coo Number Fax	le			Custor	omer No. mer P.O. hip Date acel Date	7CL0039 11/01/20	934 04	Colo BRANE
Sold To Colony Receiv 3650 M	ing List : / Brands, In / Brands, In / Ing Depart / Ilwaukee on, WI 537	tment Street		Ship To: Colony Bran Receiving Do 3650 Milwau Madison, WI	epartment				
E	Bill of Lading SCB-845		Fr	eight Terms Collect	Wat	Freight Ca kins Motor		3	
Line #	PLN #	Lot Number	De	scription	Ordered	Quantity	B/O	Number of Cartons	
1	<mark>576626</mark>	123XYZ	Toaster Deluxe 4 PLN # 676626 Seventh Avenue		100	100	0	50	
a packin	er requests th g list envelop	ssage / Terms at packing list be e and attached t icate copy to be	o the last box	No Packages 50	Commodity I Toas		Weig 756		1
				50	Total Ar	nounts	756	3	

Packing Slip Violations	Explanation	Charge
Incorrect Packing Slip	 Correct Purchase Order must be on packing slip. Packing Slip must include the same level of detail as listed in the manual. Packing Slip must be consolidated on the outside of the lead carton, placed in an easily removeable pouch. Cartons sent through RPS or UPS must have a packing slip attached to each carton. 	\$200 / shipment

Packaging Label Violations







Packaging Labeling Violations	Explanation	Charge
Incorrect Unit Labeling	 Unit PLN labels were not applied to the single unit packaging. Master carton and/or Unit PLN labels had incorrect barcode format or barcode was not included on the label. Barcode scan contains incorrect PLN# or includes text, leading or ending zeros or other excess or invalid information. Minimum bar density per barcode specifications has not been met. Unit label was not placed in the center of the largest flat surface. 	\$.85 / piece
Incorrect Master Carton Labeling	 Barcode scan contains incorrect PLN# or includes text, leading or ending zeros or other excess or invalid information. Master Carton BARCODE was not placed in the upper right corner of the master carton. 	\$200 / shipment



Packaging Test / Damage Violations

Package Test/Damage Violations	Explanation	Charge
No Large package test report supplied.	Failure to supply a Large package test report prior to first shipment of merchandise.	\$500 per incident
No small package test report supplied.	Failure to supply a Small package test report within 72 hours of request.	\$200 per incident
Package test failure on delivered merchandise.	Merchandise shipped to our warehouse failed the internal package test and the packaging is not per supplied test report or no test report is available.	\$50 per hour labor rework charges plus cost of materials.
High level of damages on merchandise shipped to our customers.	Merchandise shipped to our customers has an unacceptable damage rate and the packaging is not per supplied test report or vendor provided no test report.	\$50 per hour labor rework charges plus cost of materials. Additionally, charges related to sending replacements to customers as a result of receipt of damaged items.



Questions?